

Weekly Coal Combustion Residual (CCR) Inspection Report

3 Jan 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				3 Jan 2025 9:00 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753752303761594, -93.01236570471353)	
Weather Conditions:				20	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

King ash

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

10 Jan 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				10 Jan 2025 11:15 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753739447851984, -93.01237966659498)	
Weather Conditions:					26

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

17 Jan 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				17 Jan 2025 1:10 PM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75373051689769, -93.01241684944056)	
Weather Conditions:					36

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

24 Jan 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				24 Jan 2025 8:56 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753720627613426, -93.01241258894495)	
Weather Conditions:					11

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

31 Jan 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				31 Jan 2025 10:10 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75379450046015, -93.01231858779215)	
Weather Conditions:					40

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

7 Feb 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				7 Feb 2025 10:37 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75370494431324, -93.01242835762417)	
Weather Conditions:					17

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

13 Feb 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				13 Feb 2025 11:17 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75369029116987, -93.0124526245399)	
Weather Conditions:					-1

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash

Weekly Coal Combustion Residual (CCR) Inspection Report

21 Feb 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				21 Feb 2025 7:32 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75356933794636, -93.01259051816723)	
Weather Conditions:					11

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

King ash

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

28 Feb 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				28 Feb 2025 2:58 PM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753735663946856, -93.01238709231531)	
Weather Conditions:				Windy 40	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

7 Mar 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				7 Mar 2025 11:30 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753735663946856, -93.01238709231531)	
Weather Conditions:				33'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

No king ash

Weekly Coal Combustion Residual (CCR) Inspection Report

14 Mar 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				14 Mar 2025 9:02 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753735663946856, -93.01238709231531)	
Weather Conditions:				55	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

3 Jan 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				3 Jan 2025 9:00 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753752303761594, -93.01236570471353)	
Weather Conditions:				20	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

King ash

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

10 Jan 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				10 Jan 2025 11:15 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753739447851984, -93.01237966659498)	
Weather Conditions:					26

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

17 Jan 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				17 Jan 2025 1:10 PM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75373051689769, -93.01241684944056)	
Weather Conditions:					36

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

24 Jan 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				24 Jan 2025 8:56 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753720627613426, -93.01241258894495)	
Weather Conditions:					11

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

31 Jan 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				31 Jan 2025 10:10 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75379450046015, -93.01231858779215)	
Weather Conditions:					40

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

7 Feb 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				7 Feb 2025 10:37 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75370494431324, -93.01242835762417)	
Weather Conditions:					17

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

13 Feb 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				13 Feb 2025 11:17 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75369029116987, -93.0124526245399)	
Weather Conditions:					-1

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash

Weekly Coal Combustion Residual (CCR) Inspection Report

21 Feb 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				21 Feb 2025 7:32 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75356933794636, -93.01259051816723)	
Weather Conditions:					11

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

King ash

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

28 Feb 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				28 Feb 2025 2:58 PM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753735663946856, -93.01238709231531)	
Weather Conditions:				Windy 40	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

7 Mar 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				7 Mar 2025 11:30 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753735663946856, -93.01238709231531)	
Weather Conditions:				33'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

No king ash

Weekly Coal Combustion Residual (CCR) Inspection Report

14 Mar 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				14 Mar 2025 9:02 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753735663946856, -93.01238709231531)	
Weather Conditions:				55	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

21 Mar 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				21 Mar 2025 10:55 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753735663946856, -93.01238709231531)	
Weather Conditions:				46'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

28 Mar 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				28 Mar 2025 8:39 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753735663946856, -93.01238709231531)	
Weather Conditions:				48'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

4 Apr 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				4 Apr 2025 12:24 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753762476500874, -93.01235212053776)	
Weather Conditions:					50

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

Selective catalyst production modules and coal ash 08-0096

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

11 Apr 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				11 Apr 2025 11:44 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75374307265403, -93.01238907023972)	
Weather Conditions:				48'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

18 Apr 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				18 Apr 2025 10:30 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75374307265403, -93.01238907023972)	
Weather Conditions:					48

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

25 Apr 2025 / Miranda Gonzalez

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				25 Apr 2025 10:43 AM CDT	
Prepared by				Miranda Gonzalez	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75387191, -93.01201629)	
Weather Conditions:				Overcast and 45 deg f	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

30 Apr 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				30 Apr 2025 1:56 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75375604661312, -93.01236955853622)	
Weather Conditions:				55'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

9 May 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				9 May 2025 9:07 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75375855540871, -93.01236129403074)	
Weather Conditions:					60

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

No king ash

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

16 May 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				16 May 2025 6:52 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75375855540871, -93.01236129403074)	
Weather Conditions:				62'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

23 May 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				23 May 2025 7:35 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.7537444147634, -93.01236880986632)	
Weather Conditions:				55	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

29 May 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				29 May 2025 1:02 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753741714979654, -93.0123671319419)	
Weather Conditions:				65	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

6 Jun 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				6 Jun 2025 9:59 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753741714979654, -93.0123671319419)	
Weather Conditions:					56

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash this week

Weekly Coal Combustion Residual (CCR) Inspection Report

13 Jun 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				13 Jun 2025 2:40 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753713566521334, -93.01238493254574)	
Weather Conditions:				55	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

20 Jun 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				20 Jun 2025 1:51 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75371495648913, -93.01239475824478)	
Weather Conditions:					77

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

25 Jun 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				25 Jun 2025 12:55 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75371100104728, -93.01239931828592)	
Weather Conditions:				60' raining	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash this week

Weekly Coal Combustion Residual (CCR) Inspection Report

3 Jul 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				3 Jul 2025 10:55 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75372905360638, -93.01239156257515)	
Weather Conditions:				90'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash

Weekly Coal Combustion Residual (CCR) Inspection Report

11 Jul 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				11 Jul 2025 7:46 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753732035548914, -93.01237365830771)	
Weather Conditions:				78'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

18 Jul 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				18 Jul 2025 7:05 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753732035548914, -93.01237365830771)	
Weather Conditions:				77'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

25 Jul 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				25 Jul 2025 6:47 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753732035548914, -93.01237365830771)	
Weather Conditions:				68'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash

Weekly Coal Combustion Residual (CCR) Inspection Report

1 Aug 2025 / Miranda Gonzalez

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				1 Aug 2025 8:03 AM CDT	
Prepared by				Miranda Gonzalez	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753912591977446, -93.01199683291604)	
Weather Conditions:				Sunny, smoggy, 61 f	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

8 Aug 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				8 Aug 2025 7:22 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753732663133746, -93.01237244427443)	
Weather Conditions:				75	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash this week

Weekly Coal Combustion Residual (CCR) Inspection Report

22 Aug 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				22 Aug 2025 6:58 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75368920197237, -93.01236996568795)	
Weather Conditions:				70'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

King ash

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

29 Aug 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				29 Aug 2025 10:08 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75375321811146, -93.01234745065678)	
Weather Conditions:				65	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

King ash

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

5 Sep 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				5 Sep 2025 8:55 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75366760459244, -93.0126222757105)	
Weather Conditions:				60	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

12 Sep 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				12 Sep 2025 10:07 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75373469193723, -93.01238189312424)	
Weather Conditions:				68'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

No king ash

Weekly Coal Combustion Residual (CCR) Inspection Report

19 Sep 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				19 Sep 2025 11:01 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75373469193723, -93.01238189312424)	
Weather Conditions:				68'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

26 Sep 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				26 Sep 2025 10:07 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75370522917103, -93.01244067589155)	
Weather Conditions:				72	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

3 Oct 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				3 Oct 2025 12:21 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753775198702776, -93.01237650433248)	
Weather Conditions:				82	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

10 Oct 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				10 Oct 2025 10:07 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.7536963667985, -93.01244401431047)	
Weather Conditions:				63	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

17 Oct 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				17 Oct 2025 6:58 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.7536963667985, -93.01244401431047)	
Weather Conditions:				65	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

24 Oct 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				24 Oct 2025 8:46 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75373896789058, -93.01239182489988)	
Weather Conditions:				50'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

3 loads king ash

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

31 Oct 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				31 Oct 2025 9:22 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75371826851746, -93.01239441162448)	
Weather Conditions:				55	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

7 Nov 2025 / Miranda Gonzalez

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				7 Nov 2025 11:00 AM CST	
Prepared by				Miranda Gonzalez	
Location				13425 Courthouse Blvd, Rosemount, MN 55068, USA (44.753553, -93.012203)	
Weather Conditions:				Windy and cold. 30s	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

14 Nov 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				14 Nov 2025 9:00 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75374428435119, -93.01236936550775)	
Weather Conditions:				55	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

21 Nov 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				21 Nov 2025 9:59 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753745888867144, -93.01236452662175)	
Weather Conditions:				45	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

28 Nov 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				28 Nov 2025 7:16 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753745888867144, -93.01236452662175)	
Weather Conditions:				22'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

5 Dec 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				5 Dec 2025 10:18 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753754014116716, -93.01235466393481)	
Weather Conditions:					18

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

12 Dec 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				12 Dec 2025 12:17 PM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753754014116716, -93.01235466393481)	
Weather Conditions:					18

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

17 Dec 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				17 Dec 2025 10:38 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75374924911263, -93.01235583243621)	
Weather Conditions:				35'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

Several king ash loads

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

26 Dec 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				26 Dec 2025 8:07 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75362205311212, -93.01254660891722)	
Weather Conditions:				35	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

21 Mar 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				21 Mar 2025 10:55 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753735663946856, -93.01238709231531)	
Weather Conditions:				46'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

28 Mar 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				28 Mar 2025 8:39 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753735663946856, -93.01238709231531)	
Weather Conditions:				48'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

4 Apr 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				4 Apr 2025 12:24 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753762476500874, -93.01235212053776)	
Weather Conditions:					50

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

Selective catalyst production modules and coal ash 08-0096

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

11 Apr 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				11 Apr 2025 11:44 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75374307265403, -93.01238907023972)	
Weather Conditions:				48'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

18 Apr 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				18 Apr 2025 10:30 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75374307265403, -93.01238907023972)	
Weather Conditions:					48

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

25 Apr 2025 / Miranda Gonzalez

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				25 Apr 2025 10:43 AM CDT	
Prepared by				Miranda Gonzalez	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75387191, -93.01201629)	
Weather Conditions:				Overcast and 45 deg f	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

30 Apr 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				30 Apr 2025 1:56 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75375604661312, -93.01236955853622)	
Weather Conditions:				55'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

9 May 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				9 May 2025 9:07 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75375855540871, -93.01236129403074)	
Weather Conditions:					60

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

No king ash

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

16 May 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				16 May 2025 6:52 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75375855540871, -93.01236129403074)	
Weather Conditions:				62'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

23 May 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				23 May 2025 7:35 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.7537444147634, -93.01236880986632)	
Weather Conditions:				55	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

29 May 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				29 May 2025 1:02 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753741714979654, -93.0123671319419)	
Weather Conditions:				65	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

6 Jun 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				6 Jun 2025 9:59 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753741714979654, -93.0123671319419)	
Weather Conditions:					56

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash this week

Weekly Coal Combustion Residual (CCR) Inspection Report

13 Jun 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				13 Jun 2025 2:40 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753713566521334, -93.01238493254574)	
Weather Conditions:				55	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

20 Jun 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				20 Jun 2025 1:51 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75371495648913, -93.01239475824478)	
Weather Conditions:					77

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

25 Jun 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				25 Jun 2025 12:55 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75371100104728, -93.01239931828592)	
Weather Conditions:				60' raining	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash this week

Weekly Coal Combustion Residual (CCR) Inspection Report

3 Jul 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				3 Jul 2025 10:55 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75372905360638, -93.01239156257515)	
Weather Conditions:				90'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash

Weekly Coal Combustion Residual (CCR) Inspection Report

11 Jul 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				11 Jul 2025 7:46 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753732035548914, -93.01237365830771)	
Weather Conditions:				78'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

18 Jul 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				18 Jul 2025 7:05 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753732035548914, -93.01237365830771)	
Weather Conditions:				77'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

25 Jul 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				25 Jul 2025 6:47 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753732035548914, -93.01237365830771)	
Weather Conditions:				68'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash

Weekly Coal Combustion Residual (CCR) Inspection Report

1 Aug 2025 / Miranda Gonzalez

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				1 Aug 2025 8:03 AM CDT	
Prepared by				Miranda Gonzalez	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753912591977446, -93.01199683291604)	
Weather Conditions:				Sunny, smoggy, 61 f	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

8 Aug 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				8 Aug 2025 7:22 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753732663133746, -93.01237244427443)	
Weather Conditions:				75	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

King ash this week

Weekly Coal Combustion Residual (CCR) Inspection Report

22 Aug 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				22 Aug 2025 6:58 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75368920197237, -93.01236996568795)	
Weather Conditions:				70'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

King ash

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

29 Aug 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				29 Aug 2025 10:08 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75375321811146, -93.01234745065678)	
Weather Conditions:				65	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

King ash

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

5 Sep 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				5 Sep 2025 8:55 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75366760459244, -93.0126222757105)	
Weather Conditions:				60	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

12 Sep 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				12 Sep 2025 10:07 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75373469193723, -93.01238189312424)	
Weather Conditions:				68'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

No king ash

Weekly Coal Combustion Residual (CCR) Inspection Report

19 Sep 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				19 Sep 2025 11:01 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75373469193723, -93.01238189312424)	
Weather Conditions:				68'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

26 Sep 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				26 Sep 2025 10:07 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75370522917103, -93.01244067589155)	
Weather Conditions:				72	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

3 Oct 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				3 Oct 2025 12:21 PM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753775198702776, -93.01237650433248)	
Weather Conditions:				82	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

10 Oct 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				10 Oct 2025 10:07 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.7536963667985, -93.01244401431047)	
Weather Conditions:				63	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

17 Oct 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				17 Oct 2025 6:58 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.7536963667985, -93.01244401431047)	
Weather Conditions:				65	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

24 Oct 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				24 Oct 2025 8:46 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75373896789058, -93.01239182489988)	
Weather Conditions:				50'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

3 loads king ash

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

31 Oct 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				31 Oct 2025 9:22 AM CDT	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75371826851746, -93.01239441162448)	
Weather Conditions:				55	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

7 Nov 2025 / Miranda Gonzalez

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				7 Nov 2025 11:00 AM CST	
Prepared by				Miranda Gonzalez	
Location				13425 Courthouse Blvd, Rosemount, MN 55068, USA (44.753553, -93.012203)	
Weather Conditions:				Windy and cold. 30s	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

14 Nov 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				14 Nov 2025 9:00 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75374428435119, -93.01236936550775)	
Weather Conditions:				55	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

21 Nov 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				21 Nov 2025 9:59 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753745888867144, -93.01236452662175)	
Weather Conditions:				45	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

28 Nov 2025 / Heath Yearling

Complete

Score	0 / 4 (0%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				28 Nov 2025 7:16 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753745888867144, -93.01236452662175)	
Weather Conditions:				22'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

CCR Fugitive Dust Inspection (per 40 CFR 257.80(b)(4))

0 / 1 (0%)

Was CCR received during the reporting period? If the answer is no, no additional information is required.

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

5 Dec 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				5 Dec 2025 10:18 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753754014116716, -93.01235466393481)	
Weather Conditions:					18

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

12 Dec 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				12 Dec 2025 12:17 PM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.753754014116716, -93.01235466393481)	
Weather Conditions:					18

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

17 Dec 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				17 Dec 2025 10:38 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75374924911263, -93.01235583243621)	
Weather Conditions:				35'	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.

Yes

Several king ash loads

Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?

Yes

Was CCR spillage observed at the landfill scale or on landfill access roads?

No

Was CCR fugitive dust observed at the landfill?

No

Are current CCR fugitive dust control measures effective?

Yes

Were CCR fugitive dust-related citizen complaints received during the reporting period?

No

Additional Notes

Any additional notes on inspection?

Weekly Coal Combustion Residual (CCR) Inspection Report

26 Dec 2025 / Heath Yearling

Complete

Score	3 / 9 (33.33%)	Flagged items	0	Actions	0
Site conducted				3063 - Rosemount Landfill -, Corporate (Overall), Central, Central/Minnesota	
Conducted on				26 Dec 2025 8:07 AM CST	
Prepared by				Heath Yearling	
Location				13425 Courthouse Blvd Rosemount MN 55068 United States (44.75362205311212, -93.01254660891722)	
Weather Conditions:				35	

CCR Landfill Integrity Inspection (per 40 CFR 257.84)

0 / 3 (0%)

Is bulging, sliding, rotation movement, or localized settlement observed on the side slopes or upper deck of cells containing CCR?

No

Are conditions observed within the cells containing CCR or within the general landfill operations that represent a potential disruption to ongoing CCR management operations?

No

Are conditions observed within the cells or within the general landfill operations that represent a potential disruption of the safety of the CCR management operations?

No

Was CCR received during the reporting period? If the answer is no, no additional information is required.	Yes
Was all CCR conditioned (by wetting or dust suppressants) prior to delivery at the landfill?	Yes
Was CCR spillage observed at the landfill scale or on landfill access roads?	No
Was CCR fugitive dust observed at the landfill?	No
Are current CCR fugitive dust control measures effective?	Yes
Were CCR fugitive dust-related citizen complaints received during the reporting period?	No

Additional Notes

Any additional notes on inspection?
